

SPECIFICATIONS FOR 40CM GIRL OIL SLICK BIKE

No.	COMPONENT	DESCRIPTION	QTY	MATERIAL
1	Fram	16" Steel Frame, chrome paint	1	STEEL
	Batch Marks	print batch number on head tube		
2	Fork	Steel Fork	1	STEEL
	Head Set	Steel, 8pcs, with ball set	1	STEEL
3	Handlebar	Steel Handlebar 22*1.2T W=540mm	1	STEEL
	Stem	Steel Stem, welded on hanldebar, L:150mm	1	STEEL
	Grips	PVC grip, 95mm	2	PVC
	Bell	Steel cover, plastic bracket	1	Steel/PP
4	Brake Levers	Plastic Brake Lever at right side	1	ABS
	Brake (Front)	steel Caliper brake	1	STEEL
	Cable Housing	2p	1	PVC
5	Freewheel	16T Freewheel, with Coaster Brake	1	steel
	Chainwheel	1/2 *1/8 *36T	1	steel/PVC
	Chain	76L	1	steel
6	Crank	1/2 *114MM	1	steel
	BB SET	9 PCS, 47mm BB, with ball sets	1	steel
	Chainguard	steel	1	steel
	Pedals	plastic pedal, without ball, with AS reflector	2	PP
	Training Wheel	Steel Leg, 135*120*3.0 with black training wheels	2	steel / PP
7	Tires / Valves	16*1.95 ,rubber tire with butyl tube, A/V	2	rubber
	Rims	16" STEEL RIMS	2	steel
	Front & Rear Hub	3/8*14G*20H	2	steel
	Spokes	14G Steel Spokes, with nipple	40	steel
8	Saddle	PVC saddle, with foam, steel bracket	1	pvc/steel
	Seat Post	152mm, with safety line	1	steel
	Seat binder	M6*31mm, with quick release handle	1	Alloy
9	Reflectors	F/R reflector, AS standard, plastic bracket	2	PVC/PP
	Wheel Reflectors	2PCS, AS standard	2	PVC



