
WS-3490

展开(288x192mm)



WARNING*

- This helmet conforms to the AS/NZS 2063:2008 standard for bicycle helmets. It designed for use with pedal cycles, skateboards and kick scooters, not intended for motorsport use.
- No Helmet can protect the wearer against all possible impacts.
 The helmet is designed to be retained by a strap under the
- The refiner is designed to be retained by a strap direct the lower jaw.

 4 To Be effective a helmet must fit and he worn correctly. To
- 4. To Be effective, a helmot must fit and be worn correctly. To check for correct fit, place helmet on head and make any adjustments indicated. Securely fasten retention system. Grasp the helmet and try to rotate it to the front and rear. A correctly fitted helmet should be comfortable and should not more forward to obscure vision or backwards to expose the forehead.
- No Attachments should be made to the helmet except those recommended by the helmet manufacturer.
- 6. The helmet is designed to absorb shock by partial destruction of the shell and liner. This damage may not be visible. Therefore, if subjected to severe blow, the helmet should be destroyed and replaced even if it appears undamaged.
- 7. The helmet may be damaged and rendered ineffective by petroleum and petroleum products, cleaning agents, paints, adhesives and the like, without the damage being visible to the
- 8. A helmet has a limited lifespan in use and should be replaced when it shows obvious signs of wear.
- This helmet should not be used by children while climbing or doing other activities where there is a risk of hanging or strangulation if the child gets trapped whilst wearing the helmet.

THE PROPER FIT

STEP 1: The helmet fits correctly when the fit pads hold it firmly but comfortably in place. Pads are held in place by hook and loop style fasters. All fitting adjustments MUST be made with the helmet in the proper position. Failure to do so will result in a poor fit. This will allow the helmet to move out of position or corre off in an accident. For proper position, leaser refer to lipsaram A.

STEP 4: Always wear the helmet with the chin strap buckle fastened and the strap pulled tight. Make sure the strap is well back against the threat, NOT on the point of the chin. Straps worn on the point of the chin increase the chance of the helmet coming off in an accident. See Diagram C and Diagram 10 on how to fasten and release the buckle and Diagram E shows the proper neasement of the chin stran.





Make sure the loose end of the strap passes through the rubber 0 ring. If it does not, the strap may slide loose and the helmet can come off accidentally. See Diagram F

STEP 2: Always wear a helmet low in the front to protect the forehead as in the correct figure in Diagram A

STEP 3: The front and rear straps should join at a point slightly below and in front of the ears. Seo Bigaran B. To adjust the position of the straps hold one end off the buckle in one hand slide the adjustor up or down as necessary with the other hand correctly positioned to adjust the front or rear strap individually. Hold the strap to be adjusted and slide the slide adjuster in the appropriate direction.



DIAGRAM B: TRIGLIDE



STEP 5: Before using the helmet, make sure it fits correctly, the straps are correctly adjusted and the chin strap is tight enough. Put the helm ton in the correct position. Fasten the chin strap and oull it tight.

STEP 6: Once you are satisfied that the helmet fits correctly and all straps are properly adjusted and tightened, take a short ride. Pay attention to overall comfort and helmet stability while riding. Make any minor adjustment to fit pads and straps to improve the