



Low Voltage 64 LED Star Curtain Lights



Assembly Diagram:



These instructions are for your safety. Please read through them thoroughly before use and retain for future reference.

Before You Start

- Decide on an appropriate location for your product (see Installation instructions below).
- If you have any doubt about installing this product, consult a qualified electrician.

Installation

- This light is suitable for INDOOR and OUTDOOR use.
- The AC adaptor MUST be installed INDOORS away from weather.
- This light set is constructed with non-replaceable bulbs. When the light source reaches its end of life the whole luminaire shall be replaced
- Do not position or place near heaters or any other direct sources of heat.
- This product is suitable for positioning on surfaces which have normal flammability, wood, plasterboard, masonry. this does not include highly flammable surfaces (polystyrene, textiles).
- Always position cables and extension leads so that they will not be a hazard to the elderly, and children.
- DO NOT position this light set where it may become covered by other items nets or bedding.
- Ensure the unit is positioned so that you have enough cable to reach an indoor mains power socket.
- To change the light effect, simply press the button locate on top of the AC Adaptor

1. COMBINATION

2. IN WAVES

3. SEQUENTIAL

4. SLO-GLO

5. CHASING / FLASH

6. SLOW FADE

7. TWINKLE / FLASH

8. STEADY ON

Adaptor:

The ratings shown on the marking is steady mode, and the input power up to 0.9W.

Adaptor other mode see below:

PRI: 220-240V~ 50-60Hz 0.12A

Urated=3V~

Uout=4.5V~ Prated Max 0.9W

Warning

- This product is NOT designed for continuous and permanent use.
- The supplied adaptor is suitable for operation of LED Modules only.
- Only operate this light set with the supplied adaptor, Model No.: JT-EL/FC3V0.9W-H9
- Do not connect this light electrically to another light.
- Do not connect this light to the power supply while it is in the packaging.
- DO NOT attempt to replace the non-replaceable bulbs in this light.
- Never allow any part of the light set to come into contact with a source of heat or flame.
- Care must be taken to avoid damage the cable or fittings.
- If any part of light set or cable is damaged, the light set MUST be discarded.
- This product is for use as a decoration only. Not to be used by children as a toy. Keep out of reach of children.
- Do not position this light where it will be exposed to extreme wet weather or submerged in water.
- Always switch off this light set or unplug an adaptor if unattended.

- DO NOT overload power sockets or extension leads.
- DO NOT pierce the cable when securing in place, as this will damage the bulbs or wiring.
- Please refer to the packing or product rating label for product class, and rating.

LED Bulbs

This light set is constructed with non-replaceable bulbs. DO NOT attempt to replace any of the bulbs in the light set.

Adaptor Manual

1. Do not open the cover of the equipment.
2. The power supply is suitable for LED modules.
3. The input and output voltage should be checked before use to ensure correct use.
4. This is the Class II product, JT-EL/FC3V0.9W-H9 is only for indoor use.
5. The product is not a toy, keep it where children reach.
6. The lamp does not rely upon the luminaire enclosure for protection against accidental contact with live parts.
7. The adaptor is for socket mounted only. Not for Recess Use.
8. The minimum clearance distance from the top and sides of the to normally flammable building elements is 225 mm and 300 mm.
9. The minimum clearance distance from the top and sides of the control to normally flammable building elements.
10. If the minimum clearance distances from each side of the are different, or there are different minimum clearance distances for various types of normally flammable building element or building insulation, then each minimum clearance distance shall be stated separately.
11. Where is required to be mounted on a specific surface or has additional installation requirements, for in non-combustible enclosed space or to ensure adequate sealing to maintain its IP rating, the relevant information shall be supplied with the

NOTE Installation in a non-combustible enclosed space may include installation in a rebate in a concrete slab, or wall.

Diagram:

