anko

Dog kennel wood




Product Overview





Tech Specs





| G1 | 15cm X1pcs right latch |
|---|--|
| G2 | 15cm X1pcs left latch |
| H | 88X56mm X2pcs hinges (already attached on the top board F) |
| 8 | |
| | NutX8pcs |
| | Long Screws X8pcs |
| Great Control of the | |
| K | Short screws X16pcs |

Instruction

Step 1.

Connect boards A and B by inserting the screws Kx2 pcs and lock nut J (require a screwdriver, not included). Do not over tighten at this step.



Step 2.

Connect boards B and C by inserting the screws Kx2 pcs and lock nut J(require a screwdriver, not included). Do not over tighten at this step.



Step 3.

Insert the bottom board E and then, attached the front board D to boards A&C, insert screw Kx4 pcs and lock nut J (require a screwdriver, not included). Please hold the four corners in right position and tight all the screws at this step.




Step 4.Put on the lid F and screw 2 hinges H on to the back of B board by using screw L x 8pcs, please follow the guiding holes on the back (require a screwdriver, not included).



Step 5.

Assemble the latch G x1pcs on the side board B and top board F by using screws Lx4pcs (require a screwdriver, not included). please follow the guiding holes on blocks I and top board. Repeat on another side.





Step 6.

Open: please pull the lid up till the latch to 180 degrees, make sure the latch is locked before you put your pet in.

Close: please push the latch out as below on both sides before closing the lid.



WARNING:

For pet use only.
Supervise your pet during use.
For your pet's safety, inspect regularly and remove if damaged.

Do not drag on the floor.

Do not sit or stand on this unit.

Do not lift when in use or with pet.