


Mini Climber



Instructions

3+
years

PARTS



ASSEMBLY INSTRUCTIONS




Caution: Only this shape can be assembled.

Note: Secure the assembled climber to the ground by using the included ground pegs, and make sure that the ground pegs are inserted into the ground as far as possible before using the climber.



DISASSEMBLY INSTRUCTIONS



WARNING: ALWAYS INSTALL THE EQUIPMENT ON LEVEL GROUND, NO LESS THAN 1.8 METRES FROM ANY STRUCTURE OR OBSTRUCTION SUCH AS A FENCE, HOUSE, OVERHANGING BRANCHES, LAUNDRY LINES, OR ELECTRICAL WIRES.

WARNING: DO NOT INSTALL HOME PLAYGROUND EQUIPMENT OVER CONCRETE, ASPHALT, PACKED EARTH, GRASS, CARPET, OR ANY OTHER HARD SURFACE. A FALL ONTO A HARD SURFACE CAN RESULT IN SERIOUS INJURY TO THE EQUIPMENT USER.

WARNING: THIS PRODUCT MUST HAVE THE GROUND PEGS INSTALLED BEFORE USE. PLEASE REFER TO THE ASSEMBLING STEPS FOR INSTRUCTIONS ON HOW TO INSTALL GROUND PEGS TO PREVENT TIPPING, OVERTURNING, OR LIFTING OF THE SUPPORT STRUCTURES DURING USE.

WARNING: FOR SAFETY REASONS, REMOVE ALL TAGS, LABELS, AND PLASTIC FASTENERS BEFORE GIVING THIS TOY TO YOUR CHILD.

MADE IN CHINA KEYCODE: 43149940
PLEASE READ THE ENCLOSED INSTRUCTION MANUAL. ADULT ASSEMBLY AND SUPERVISION IS REQUIRED. PRODUCT MAY VARY SLIGHTLY FROM IMAGE SHOWN. PLEASE KEEP PACKAGING FOR FUTURE REFERENCE.

WARNING: CHOKING HAZARD
SMALL PARTS. NOT FOR CHILDREN UNDER 3 YEARS.

NOTE: IT SHOULD BE RECOGNISED THAT ALL INJURIES DUE TO FALLS CANNOT BE PREVENTED, NO MATTER WHAT SURFACE MATERIAL IS USED.

WARNING: FOR DOMESTIC USE ONLY. FOR OUTDOOR USE ONLY. MAXIMUM USER WEIGHT: 40KG. TO BE USED BY UP TO 2 CHILDREN SIMULTANEOUSLY.

Consumer information sheet for playground surfacing materials

The US Consumer Product Safety Commission (CPSC) estimates that about 100 000 playground equipment-related injuries resulting from falls to the ground surface are treated annually in US hospital emergency rooms. Injuries involving this hazard pattern tend to be among the most serious of all playground injuries, and have the potential to be fatal, particularly when the injury is to the head. The surface under and around playground equipment can be a major factor in determining the injury-causing potential of a fall. It is self-evident that a fall on to a shock-absorbing surface is less likely to cause a serious injury than a fall on to a hard surface. Playground equipment should never be placed on hard surfaces, such as concrete or asphalt, and while grass may appear to be acceptable, it may quickly turn to hard-packed earth in areas of high traffic. Shredded bark mulch, wood chips, fine sand or fine gravel are considered to be acceptable shock absorbing surfaces when installed and maintained at a sufficient depth under and around playground equipment.

Table B.1 lists the maximum height from which a child would not be expected to sustain a life-threatening head injury in a fall on to four different loose-fill surfacing materials if they are installed and maintained at depths of 150 mm, 225 mm and 300 mm.

Table B.1 - Fall height in millimetres from which a life-threatening head injury would not be expected

Type of material	Depth of surfacing material		
	150mm	225mm	300mm
Double shredded bark mulch	1800	3000	3300
Wood chips	1800	2100	3600
Fine sand	1500	1500	2700
Fine gravel	1800	2100	3000

It is recommended that a shock-absorbing material extend a minimum of 1800mm in all directions from the perimeter of stationary equipment such as climbing frames and slides. However, because children may deliberately jump from a moving swing, the shock-absorbing material should extend in the front and rear of a swing a minimum distance of twice the height of the pivot point measured from a point directly beneath the pivot on the supporting structure.

This information is intended to assist in comparing the relative shock-absorbing properties of various materials. No particular material is recommended over another. However, each material is only effective when properly maintained. Materials should be checked periodically and replenished to maintain correct depth as determined necessary for the equipment in question. The choice of a material depends on the type and height of the playground equipment, the availability of the material in a particular area, and its cost.

This information has been extracted from the CPSC publications "Playground Surfacing - Technical Information Guide" and "Handbook for Public Playground Safety".