INSTRUCTIONS


(EM) This product is not to be directly connected to the mains supply. The USB cable and power supply used with this item is to be regularly examined for damage to the cord, plug, and other parts, and in the event of such damage, they must not be used until the damage has been repaired. This item can be used with a compatible mains powered transformer. This must be a short-circuit proof safety is loalating transformer according to IEC 61558-2-16 or a toy; transformer according to IEC 61558-2-16. This must be a short-circuit proof safety is loalating transformer according to IEC 61558-2-16 or a toy; transformer according to IEC 61558-2-16

WARNING: Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/ TV technician for help.



MADE IN CHINA


CUSTOMER SERVICE: KMART AU: 1800 124 125 KMART NZ: 0800 945 995 TARGET AU: 1300 753 567



Max Rated Input: 5V DC 500mA

K: 43-397-402 T: 69-649-462

24/24



148 MM (W) X 120 MM (H)